

# BRISTOL

design D.S. Studio



**DOIMO**<sup>®</sup>  
Salotti


## DIMENSIONI / DIMENSIONS

Misure in cm

Measurements in cm

Riferimento grafico: lato sinistro (Sx)


Graphic reference: on the left side (Lh)




poltrona da 105  
L. 105 P. 100 H. 88




poltrona da 105 con 1 estraibile  
L. 105 P. 100/123 H. 88




divano da 180  
L. 180 P. 100 H. 88




divano da 180 con 1 estraibile  
L. 180 P. 100/123 H. 88




divano da 180 con 2 estraibili  
L. 180 P. 100/123 H. 88




divano da 220  
L. 220 P. 100 H. 88




divano da 220 con 1 estraibile  
L. 220 P. 100/123 H. 88




divano da 220 con 2 estraibili  
L. 220 P. 100/123 H. 88




divano da 240  
L. 240 P. 100 H. 88




divano da 240 con 1 estraibile  
L. 240 P. 100/123 H. 88




divano da 240 con 2 estraibili  
L. 240 P. 100/123 H. 88




laterale da 165 dx/sx  
L. 165 P. 100 H. 88




laterale da 205 dx/sx  
L. 205 P. 100 H. 88




later. da 225 dx/sx  
L. 225 P. 100 H. 88




laterale da 165 con 1 estr. dx/sx  
L. 165 P. 100/123 H. 88




later. da 205 con 1 estr. dx/sx  
L. 205 P. 100/123 H. 88




later. da 225 con 1 estr. dx/sx  
L. 225 P. 100/123 H. 88




laterale da 165 con 2 estr. dx/sx  
L. 165 P. 100/123 H. 88




later. da 205 con 2 estr. dx/sx  
L. 205 P. 100/123 H. 88



later. da 225 con 2 estr. dx/sx  
L. 225 P. 100/123 H. 88



penisola da 110x170 dx/sx  
L. 110 P. 170 H. 88



term. angolo da 102x228 dx/sx  
L. 102 P. 228 H. 88



pouf da 97x97  
L. 97 P. 97 H. 47



poggiatesta da 50  
per poltrona, divano da 180,  
laterale da 165 e termi. angolo  
L. 50 P. 14 H. 17



poggiatesta da 70  
per divano da 220,  
laterale da 205 e penisola  
L. 70 P. 14 H. 17



poggiatesta da 80  
per divano da 240,  
laterale da 225  
L. 80 P. 14 H. 17

## **SCHEDA PRODOTTO / PRODUCT ID CARD**

*In ottemperanza alle disposizioni del D.Lgs n. 206 del 2005, "Codice del consumo"*

**STRUTTURA:** legno massiccio di abete e multistrato.

**MOLLEGGIO DELLA SEDUTA:** cinghie elastiche fissate con punti metallici.

**IMBOTTITURA STRUTTURA:** poliuretano espanso di densità 21/30/40 kg/m<sup>3</sup> e vellutino accoppiato di 8 mm.

**IMBOTTITURA CUSCINI:** schienali in poliuretano espanso, densità 16/25 kg/m<sup>3</sup> e resinato accoppiato da 100/200 g/m<sup>2</sup>. Sedute fisse in poliuretano espanso, densità 30 kg/m<sup>3</sup> portante e 30 kg/m<sup>3</sup> elastico rivestito con resinato accoppiato da 100/200 g/m<sup>2</sup>. Sedute scorrevoli in poliuretano espanso densità: 30/35/60 kg/m<sup>3</sup> e resinato accoppiato da 100/200 g/m<sup>2</sup>.

**MECCANISMO ESTRAIBILE:** guide in metallo e ruote gommate.

**RIVESTIMENTO:** tessuto, microfibra o similpelle completamente sfoderabile. Pelle non sfoderabile.

**CARATTERISTICHE:** divano componibile. La versione ignifuga è su richiesta specifica, in funzione dell'utilizzo.

**PIEDE DI SERIE:** in metallo tagliato a laser verniciato grigio piombo 013, H 14,5 cm.

**STRUCTURE:** solid fir wood and multilayer wood panels.

**SPRING SEATING:** elastic straps fixed with metal staples.

**STRUCTURE PADDING:** polyurethane foam, density 21/40 kg/m<sup>3</sup> and coated with coupled velveteen 8 mm.

**CUSCHIONS PADDING:** backrest cushions in polyurethane foam, density 16/25 Kg/m<sup>3</sup> and resin coupled 100/200 g/m<sup>2</sup>. Fixed seat cushions in polyurethane foam, density 30 kg/m<sup>3</sup> + 30 kg/m<sup>3</sup> elastic and resin coupled 100/200 g/m<sup>2</sup>. Sliding seat cushions in polyurethane foam, density 30/35/60 kg/m<sup>3</sup> and resin coupled 100/200 g/m<sup>2</sup>.

**SLIDING MECHANISM:** metal guides and rubberised wheels.

**COVERING:** completely removable with fabric, microfiber or leatherette or in non-removable leather.

**FEATURES:** modular sofa. This product is available in fire-retardant version upon specific request, depending on destination country.

**STANDARD FEET:** Metal feet laser cut lacquered in grigio piombo 013, H 14,5 cm.

